

# DID YOU KNOW?

about our...



**NEW  
PRODUCT**

## Internal Threaded Stud Anchor

### INTERNAL THREADED STUD ANCHOR 316 Stainless / HEC / A4

Part	Qfind	Size	Length	Drill Hole Size $\phi$	Internal Thread Length	Inner $\phi$	Outer $\phi$
			L (mm)	(mm)	TL (mm)	D <sub>i</sub> (mm)	D <sub>o</sub> (mm)
MCI16PDM080090	<b>MC1106</b>	M8 x 1.25	90	14	30	M8	12
MCI16PDM100090	<b>MC1107</b>	M10 x 1.50	90	18	35	M10	16
MCI16PDM120090	<b>MC1108</b>	M12 x 1.75	90	22	40	M12	20
MCI16PDM120125	<b>MC1109</b>	M12 x 1.75	125	22	40	M12	20
MCI16PDM160125	<b>MC1110</b>	M16 x 2.00	125	28	40	M16	25
MCI16PDM200180	<b>MC1111</b>	M20 x 2.50	180	34	60	M20	30



#### APPLICATIONS

- Fixing to concrete or masonry substrates
- Temporary fixings / removable applications
- Projects requiring non-expansion type fasteners
- Projects requiring closer edge distance and spacing

#### FEATURES

- Flush setting
- Non-expanding anchor
- No expansion forces on the concrete
- Eliminates risk of concrete blow out
- Can be installed close to edges
- Reduced spacing between anchors

#### Top view



**CONX<sup>®</sup>TRUCT**

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

**hobson.com.au** **QUALITY FASTENERS SINCE 1935**



230310DYK