## **DID YOU KNOW?**

about our...





# 316 Stainless Rivet Nut Flat Round Knurl Open

## RIVET NUT FLAT ROUND KNURL OPEN 316 STAINLESS / HEC

Part	Size	Length	Grip Range		Hole Diameter	Body Diameter	Head Diameter	Head Thickness	Protrusion
		L (mm)	G (mm) Min Max		D (mm)	B (mm)	A (mm)	T (mm)	P (mm)
NR16PFKOM04110	M4	11.0	0.5	2.0	6	5.9	9	1.0	5.4
NR16PFKOM04140	M4	14.0	2.0	4.0	6	5.9	9	1.0	5.4
NR16PFKOM05130	M5	13.0	0.5	2.5	7	6.9	10	1.0	8.0
NR16PFKOM05160	M5	16.0	2.5	4.5	7	6.9	10	1.0	8.0
NR16PFKOM06160	M6	16.0	0.5	3.0	9	8.9	12	1.5	10.0
NR16PFKOM06185	M6	18.5	3.0	5.0	9	8.9	12	1.5	10.0
NR16PFKOM08175	M8	17.5	0.5	3.5	11	10.9	15	1.5	11.0
NR16PFKOM08200	M8	20.0	3.5	6.0	11	10.9	15	1.5	11.0
NR16PFKOM10190	M10	19.0	1.0	3.5	13	12.9	17	2.0	15.0
NR16PFKOM10240	M10	24.0	3.5	5.5	13	12.9	17	2.0	15.0





#### **APPLICATIONS**

- Used as a one-piece blind fastener
- Metal fabrication
- Can be used with softer materials such as aluminium and plastic
- Used when the base material is too thin. cannot be tapped, or the back side is inaccessible to install a regular nut

### **FEATURES**

- Knurled/splined to prevent rotation during installation and tightening
- Chamfered end to aid installation into the hole
- 316 Stainless for highest corrosion protection





Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document.



230615DYK