DID YOU KNOW?

about our...



D-Lok[®] Range



Flanged Head Serrated Bolts & Nuts





BF12FCM

NF12FCM



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.



Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au QUALITY FASTENERS SINCE 1935

DID YOU KNOW?

about our...

D-LOK® Bolt

SERRATED FLANGED BOLT D-LOK® ZINC FLAKE SILVER >1000HRS / HEC / CLASS 12.9

Part	Size	Length	Across Flats
		L (mm)	AF (mm)
BF12FCM08~	M8	16–35	13
BF12FCM10~	M10	16–50	15
BF12FCM12~	M12	25–80	17
BF12FCM14~	M14	35–70	17
BF12FCM16~	M16	30–90	22
BF12FCM20~	M20	40–90	27
BF12FCM160090	M16	90	22

APPLICATIONS

- Equipment and machinery
- Conveyors materials handling equipment
- Defence and military vehicles .
- Trucks large equipment
- Mining equipment
- Motorbikes
- Forklift

FEATURES

- Flanged no additional washer required
- Serrated to lock and clamp the connection



Report from our website:

hobson.com.au

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au QUALITY FASTENERS SINCE 1935













DID YOU KNOW?

about our...



D-LOK® Nut

SERRATED FLANGED NUT D-LOK[®] ZINC FLAKE SILVER >1000HRS / HEC / CLASS 12

Part	QFind	Size	Across Flats
			AF (mm)
NF12FCM08	DLM8	M8	13
NF12FCM10	DLM10	M10	15
NF12FCM12	DLM12	M12	19
NF12FCM14	DLM14	M14	22
NF12FCM16	DLM16	M16	24
NF12FCM20	DLM20	M20	30





APPLICATIONS

- Equipment and machinery
- Conveyors materials handling equipment
- Defence and military vehicles
- Trucks large equipment
- Mining equipment
- Motorbikes
- Forklift

FEATURES

- Flanged no additional washer required
- Serrated to lock and clamp the connection



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.



Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au QUALITY FASTENERS SINCE 1935