

# DID YOU KNOW?

about our...



**SPOT  
LIGHT**


## Grade 100 Hook Range



Safety Hook with Clevis  
ULHK10PSC



Safety Hook with Eye  
ULHK10PSE



Safety Hook with Swivel  
ULHK10PSS

POWDER COAT / HEC / GRADE 100

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

**hobson.com.au** **QUALITY FASTENERS SINCE 1935**



Page 1 of 4

251011DYK

# DID YOU KNOW?

about our...



**SPOT  
LIGHT**

## Grade 100 Safety Hook with Clevis

Clevis safety hook locks when a load is applied to prevent the release of lifting slings.

### SAFETY HOOK WITH CLEVIS POWDER COAT / HEC 3776 / GRADE 100

Part	QFind	Size	WLL	BL
		(mm)	(tonne)	(tonne)
ULHK10PSC-06	<b>H10SC6</b>	6	1.4	5.6
ULHK10PSC-08	<b>H10SC8</b>	8	2.5	10.0
ULHK10PSC-10	<b>H10SC10</b>	10	4.0	16.0
ULHK10PSC-13	<b>H10SC13</b>	13	6.7	26.8
ULHK10PSC-16	<b>H10SC16</b>	16	10.0	40.0
ULHK10PSC-20	<b>H10SC20</b>	20	16.0	64.0
ULHK10PSC-22	<b>H10SC22</b>	22	19.0	76.0
ULHK10PSC-26	<b>H10SC26</b>	26	26.5	106.0



### APPLICATIONS

- Use with Grade 100 lifting components
- Lifting with chains or synthetic slings
- Clevis fitting for direct connection to chain

### FEATURES

- 100% magnaflux crack detection
- Safety hook prevents components from releasing when being lifted
- Back lever releases hook

### MARKINGS:

- **CE** (European Conformity)
- **WLL** (Working Load Limit)
- **Trace Code** (linked to certificate online)
- **Manufacturer's mark**



You can download this  
Test Certificate and/or  
Report from our website:

**[hobson.com.au](http://hobson.com.au)**

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

**[hobson.com.au](http://hobson.com.au) QUALITY FASTENERS SINCE 1935**

Page 2 of 4



251011DYK

# DID YOU KNOW?

about our...



**SPOT  
LIGHT**

## Grade 100 Eye Safety Hook

Eye safety hook locks when a load is applied to prevent the release of chains and lifting slings.

### SAFETY HOOK WITH EYE POWDER COAT / HEC 3776 / GRADE 100

Part	QFind	Size	WLL	BL
		(mm)	(tonne)	(tonne)
ULHK10PSE-06	<b>H10SE6</b>	6	1.4	5.6
ULHK10PSE-08	<b>H10SE8</b>	8	2.5	10.0
ULHK10PSE-10	<b>H10SE10</b>	10	4.0	16.0
ULHK10PSE-13	<b>H10SE13</b>	13	6.7	26.8
ULHK10PSE-16	<b>H10SE16</b>	16	10.0	40.0
ULHK10PSE-20	<b>H10SE20</b>	20	16.0	64.0

### APPLICATIONS

- Use with Grade 100 lifting components
- Lifting with chains and synthetic slings

### FEATURES

- Conforms to AS 3776
- 100% magnaflux crack detection
- Safety hook prevents components from releasing if line becomes slack
- Back lever releases hook



### MARKINGS:

- **CE** (European Conformity)
- **WLL** (Working Load Limit)
- **Trace Code** (linked to certificate online)
- **Manufacturer's mark**



You can download this  
Test Certificate and/or  
Report from our website:

**[hobson.com.au](http://hobson.com.au)**

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

**[hobson.com.au](http://hobson.com.au) QUALITY FASTENERS SINCE 1935**



Page 3 of 4

251011DYK

# DID YOU KNOW?

about our...



**SPOT  
LIGHT**

## Grade 100 Swivel Safety Hook

Safety hook locks while swivel action assists with aligning the load prior to lifting.

### SWIVEL SAFETY HOOK POWDER COAT / HEC 3776 / GRADE 100

Part	QFind	Size	WLL	BL
		(mm)	(tonne)	(tonne)
ULHK10PSS-06	HSS6	6	1.4	4.48
ULHK10PSS-08	HSS8	8	2.5	8.00
ULHK10PSS-10	HSS10	10	4.0	12.60
ULHK10PSS-13	HSS13	13	6.7	21.20
ULHK10PSS-16	HSS16	16	10.0	32.00

#### APPLICATIONS

- Use with Grade 100 lifting components
- Lifting with chains and synthetic slings

#### FEATURES

- Conforms to AS 3776
- 100% magnaflux crack detection
- 360° swivel motion
- Safety hook prevents components from releasing when being lifted



#### MARKINGS:

- **CE** (European Conformity)
- **WLL** (Working Load Limit)
- **Trace Code** (linked to certificate online)
- **Manufacturer's mark**



You can download this  
Test Certificate and/or  
Report from our website:

**[hobson.com.au](http://hobson.com.au)**

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

**[hobson.com.au](http://hobson.com.au) QUALITY FASTENERS SINCE 1935**

Page 4 of 4



251011DYK