


DID YOU KNOW?

about our...




**SPOT
LIGHT**


Mounting Plate Range



Mounting Plate Centre Bolt
PHSMSZHMBM



Mounting Plate Centre Nut
PHSMSZHMCM



Mounting Plate Horizontal Nut
PHSMSZHMHM



Mounting Plate Vertical Nut
PHSMSZHMVM

CONX[®]TRUCT

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**

Page 1 of 5



260209DYK

DID YOU KNOW?

about our...



**SPOT
LIGHT**

Mounting Plate Centre Bolt

MOUNTING PLATE CENTRE BOLT ZINC PLATED (ROHS COMPLIANT) / HEC / MILD STEEL


Part	QFind	M	A	B	H	L	W	AF	T	TL
		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
PHSMSZHMBM10	H1200SP	M10	10.0	7.0	6.5	100.0	25.0	16.0	3.0	30

APPLICATIONS

- Provides an M10 stub for mounting pipe clamps and fixings from a vertical or horizontal surface
- Attaches directly to struts, purlins, and cable trays vertically or horizontally for perpendicular suspension
- Used with 14g hex head self-drilling screws or M6 bolts and anchors

FEATURES


- Slotted/elongated holes to allow for adjustment



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**



Page 2 of 5

260209DYK

DID YOU KNOW?

about our...



**SPOT
LIGHT**

Mounting Plate Centre Nut

MOUNTING PLATE CENTRE NUT ZINC PLATED (ROHS COMPLIANT) / HEC / MILD STEEL




Part	QFind	M	A	B	H	L	W	D	T
			(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
PHSMSZHMCM10	H1200A-M10	M10	10.0	7.0	18.0	100.0	25.0	16.0	3.0
PHSMSZHMCM12	H1200A-M12	M12	10.0	7.0	20.0	100.0	25.0	19.0	3.0

APPLICATIONS

- For suspending or supporting threaded rod perpendicular to a vertical or horizontal surface
- Attaches directly to struts, purlins, and cable trays vertically or horizontally for perpendicular suspension
- Can be used as footings in concrete together with threaded rod to support pipes
- Used with 14g hex head self-drilling screws or M6 bolts and anchors

FEATURES

- Slotted/elongated holes to allow for adjustment



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**

Page 3 of 5



260209DYK

DID YOU KNOW?

about our...



**SPOT
LIGHT**

Mounting Plate Horizontal Nut

MOUNTING PLATE HORIZONTAL NUT ZINC PLATED (ROHS COMPLIANT) / HEC / MILD STEEL


Part	QFind	M	A	B	H	L	W	D	T
		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
PHSMSZMHM10	H1200C-M10	M10	10.0	7.0	19.0	100.0	25.0	16.0	3.0
PHSMSZMHM12	H1200C-M12	M12	10.0	7.0	20.0	100.0	25.0	19.0	3.0

APPLICATIONS

- For suspending or supporting threaded rod parallel to a vertical or horizontal surface
- Attaches directly to struts, purlins, and cable trays vertically or horizontally for parallel suspension
- Used with 14g hex head self-drilling screws or M6 bolts and anchors

FEATURES


- Slotted/elongated holes to allow for adjustment



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**



Page 4 of 5

260209DYK

DID YOU KNOW?

about our...



**SPOT
LIGHT**

Mounting Plate Vertical Nut

MOUNTING PLATE VERTICAL NUT ZINC PLATED (ROHS COMPLIANT) / HEC / MILD STEEL


Part	QFind	M	A	B	H	W	D	T	L
		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
PHSMSZHMVM10	H1200B-M10	M10	10.0	7.0	19.0	25.0	16.0	3.0	100.0
PHSMSZHMVM12	H1200B-M12	M12	10.0	7.0	20.0	25.0	19.0	3.0	100.0

APPLICATIONS

- For suspending threaded rod parallel to a vertical surface in a vertical application
- Attaches directly to struts, purlins, and cable trays vertically for parallel suspension
- Used with 14g hex head self-drilling screws or M6 bolts and anchors

FEATURES


- Slotted/elongated holes to allow for adjustment



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**



Page 5 of 5

260209DYK