

DID YOU KNOW?


about our...




**SPOT
LIGHT**

Wire Rope Range


316




Rigid



Flexible



Workable



Coated



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**



Page 1 of 6

260407DYK

DID YOU KNOW?

about our...




**SPOT
LIGHT**

Wire Rope — Rigid

WIRE ROPE 1 X 19 — RIGID 316 STAINLESS / HEC / A4

Part	Configuration	Diameter	Length
		(mm)	(m)
HRW1611901.0	1 x 19	1.0	305
HRW1611901.2	1 x 19	1.2	305
HRW1611902.0	1 x 19	2.0	305
HRW1611902.5	1 x 19	2.5	305
HRW1611902.50025	1 x 19	2.5	25
HRW1611902.50050	1 x 19	2.5	50
HRW1611902.50100	1 x 19	2.5	100
HRW1611903.2	1 x 19	3.2	305
HRW1611903.20025	1 x 19	3.2	25
HRW1611903.20050	1 x 19	3.2	50
HRW1611903.20100	1 x 19	3.2	100
HRW1611903.21000	1 x 19	3.2	1000
HRW1611904.0	1 x 19	4.0	305
HRW1611904.00025	1 x 19	4.0	25
HRW1611904.00050	1 x 19	4.0	50
HRW1611904.00100	1 x 19	4.0	100
HRW1611905.0	1 x 19	5.0	305
HRW1611906.0	1 x 19	6.0	305

Not rated for lifting.



APPLICATIONS

- Catenary systems and overhead lines
- Guardrails, balustrades, and barriers
- Landscaping and cable trellises
- Rigging on yachts
- Architectural applications

FEATURES

- Highly rigid and smooth, offering high breaking strength
- Comes on an easy reel to roll out

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**

Page 2 of 6



260407DYK

DID YOU KNOW?

about our...




**SPOT
LIGHT**

Wire Rope — Flexible

WIRE ROPE 7 X 19 — FLEXIBLE 316 STAINLESS / HEC / A4

Part	Configuration	Diameter	Length
		(mm)	(m)
HRW1671902.0	7 x 19	2.0	305
HRW1671902.5	7 x 19	2.5	305
HRW1671902.50025	7 x 19	2.5	25
HRW1671902.50050	7 x 19	2.5	50
HRW1671902.50100	7 x 19	2.5	100
HRW1671903.2	7 x 19	3.2	305
HRW1671903.20025	7 x 19	3.2	25
HRW1671903.20050	7 x 19	3.2	50
HRW1671903.20100	7 x 19	3.2	100
HRW1671903.21000	7 x 19	3.2	1000
HRW1671904.0	7 x 19	4.0	305
HRW1671904.00025	7 x 19	4.0	25
HRW1671904.00050	7 x 19	4.0	50
HRW1671904.00100	7 x 19	4.0	100
HRW1671905.0	7 x 19	5.0	305
HRW1671906.0	7 x 19	6.0	305
HRW1671908.0	7 x 19	8.0	305
HRW1671910.0	7 x 19	10.0	305



APPLICATIONS

- Guardrails, balustrades, and barriers
- General-purpose marine use

FEATURES

- Highly flexible
- Comes on an easy reel to roll out

Not rated for lifting.

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**

Page 3 of 6



260407DYK

DID YOU KNOW?

about our...



**SPOT
LIGHT**


Wire Rope — Workable

WIRE ROPE 7 X 7 — WORKABLE 316 STAINLESS / HEC / A4

Part	Configuration	Diameter	Length
		(mm)	(m)
HRW1670700.6	7 x 7	0.6	305
HRW1670700.8	7 x 7	0.8	305
HRW1670701.0	7 x 7	1.0	305
HRW1670701.2	7 x 7	1.2	305
HRW1670701.6	7 x 7	1.6	305
HRW1670702.0	7 x 7	2.0	305
HRW1670702.5	7 x 7	2.5	305
HRW1670702.50025	7 x 7	2.5	25
HRW1670702.50050	7 x 7	2.5	50
HRW1670702.50100	7 x 7	2.5	100
HRW1670703.2	7 x 7	3.2	305
HRW1670703.20025	7 x 7	3.2	25
HRW1670703.20050	7 x 7	3.2	50
HRW1670703.20100	7 x 7	3.2	100
HRW1670703.21000	7 x 7	3.2	1000
HRW1670704.0	7 x 7	4.0	305
HRW1670704.00025	7 x 7	4.0	25
HRW1670704.00050	7 x 7	4.0	50
HRW1670704.00100	7 x 7	4.0	100
HRW1670705.0	7 x 7	5.0	305
HRW1670706.0	7 x 7	6.0	305

Not rated for lifting.

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.



APPLICATIONS

- Guardrails, balustrades, and barriers
- General-purpose marine use

FEATURES

- Moderate flexibility and strength
- Comes on an easy reel to roll out

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**

Page 4 of 6



260407DYK

DID YOU KNOW?


about our...



**SPOT
LIGHT**

Wire Rope — Coated

WIRE ROPE 7 X 7 PVC WHITE — COATED 316 STAINLESS / HEC / A4



Part	Configuration	Diameter	Length
		(mm)	(m)
HRW16707P04.0	7 x 7	4.0	305

Not rated for lifting.

APPLICATIONS

- Guardrails, balustrades, and barriers
- General-purpose marine use
- Safety fencing
- Environments with high moisture or chemical exposure

FEATURES

- Moderate flexibility and strength
- Comes on an easy reel to roll out
- PVC coat provides corrosion resistance
- Smooth surface

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**



Page 5 of 6

260407DYK

DID YOU KNOW?

about our...



**SPOT
LIGHT**

Wire Rope

Recommended for use with:

WIRE ROPE CUTTER



HTHRC-008

TOOL HAND
Cut up to 5.0
WIRE ROPE

WIRE ROPE CUTTER



HTHRC-450

TOOL HAND
Cut up to 12.0
WIRE ROPE

WIRE ROPE CUTTER



HTHRC-800

TOOL HAND
Cut up to 16.0
WIRE ROPE

CUTTING AND SWAGING COMBO



HTHSC-350

TOOL HAND
Cut up to 3.5
WIRE ROPE

CUTTING AND SWAGING COMBO



HTHSC-600

TOOL HAND
Cut up to 5.0
WIRE ROPE

Cutting Tool

- » Designed for cutting wire rope and piano steel wire.
- » Comfortable rubber grip handles.
- » Shear cut blades give a clean, sharp cut.



Swaging Tool

- » Designed for swaging or crimping copper or aluminium swages.
- » Forged alloy steel heat-treated jaws designed to produce a tight, clean compression of copper and aluminium swages.



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

hobson.com.au **QUALITY FASTENERS SINCE 1935**

Page 6 of 6



260407DYK