



PRODUCT DATA


Mechanical Galvanised Secure Ring

Description

Secure rings provide permanent tamper-proof security to installed fixings. The ring is installed over the screw head and prevents the screw from being tampered with.



Applications	
•	Fits over the hex of AS 3566 self drilling screws into steel and timber, to provide a tamper-proof finish
•	Put ring over hex of the screw and use installation tool to knock down and deform the shape




Material	MS Mild Steel
-----------------	---------------

Finish	MGAL Mechanical Galvanised
---------------	----------------------------

Dimensions

Part	Screw Size	Driver Size	D	F	H	C	A
	(gauge)	(inch)	(mm)	(mm)	(mm)	(mm)	(mm)
IRSMSGS031	10	5/16	19	14.5	9	13	8.7
IRSMSGS037	12 & 14	3/8	19	14.5	9	13	10.4



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.




PRODUCT DATA


Mechanical Galvanised Secure Ring

Recommended for use with:

SECURE RING INSTALL TOOL ZINC PLATED (ROHS COMPLIANT) / HEC / 1/4 5/16 3/8 HX SCREW AF	
Part	Diameter
	(inch)
IRSMSZTS-037	1/4-3/8



Instructions



1. Install screw as per manufacturer's instructions.
2. Place the secure ring over the hex head of the screw, ensuring the device is centred over the screw.
3. Use the IRSMSZTS-037 installation tool.
4. Place the tool above the top of the secure ring over the hex head of the screw.
5. Set the secure ring by hitting the top of the tool with a mallet. This will drive the secure ring onto the screw and deform the shape at the same time.
6. Keep hitting the tool until the ring covers the hex and is flush with the material surface.

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees disclaim all liability in respect to anything or the consequences of anything done or omitted regarding the whole or any part of this document. HEC product marking is the manufacturing mark of Hobson Engineering. HEC is a registered trademark of Hobson Engineering.