



**POWER-TX**

**PREMIUM**

**SDS-PLUS**

**HAMMER DRILL BIT - 2V**



PRECISE



INNOVATIVE



DURABLE

**2-CUTTER/VACUUM**  
**PXDMSP2V**

Drilling and hole Cleaning  
in ONE STEP

**ALLOY STEEL / S SERIES**

**PRODUCT  
RELEASE**

[hobson.com.au](http://hobson.com.au)



**SDS-PLUS**



**PREMIUM**

# **SDS-PLUS**


**HAMMER DRILL BIT - 2V**




**DRILLING &  
HOLE CLEANING  
IN **ONE STEP****



**SUITABLE FOR  
**OVERHEAD DRILLING**  
INSTALLATION**



**SHANK **ROTATES**  
**FREELY** INSIDE  
VACUUM BIT**



**POWER-TX**



# PRODUCT DATA

ALLOY STEEL / S SERIES / SDS-PLUS 2-CUTTER VACUUM

Page 3 of 4

## SP-2V SDS-Plus 2-Cutter Vacuum


**POWER-TX**

Applications	
<ul style="list-style-type: none"> <li>Suitable for ceiling drilling</li> <li>Can be used in concrete, brick and other substrates</li> </ul>	
Material	 Alloy Steel
Finish	 Alloy Steel



### Features

- Drilling and hole cleaning in one step
- Vacuum bit saves time and money while producing 90% less dust than traditional drill bits
- Drill bit cleans while drilling, reduces health risk and saves installation time
- No jamming when pulling out the bit, even in deep holes
- Universal adaptor fits most common dust extractor vacuums
- Perfect for drilling in enclosed spaces



Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees, disclaim any and all liability to any person in respect to anything, or the consequences of anything done or omitted regarding the whole or any part of this document.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

**hobson.com.au** **QUALITY FASTENERS SINCE 1935**



# PRODUCT DATA

ALLOY STEEL / S SERIES / SDS-PLUS 2-CUTTER VACUUM

Page 4 of 4

## POWER-TX

### Dimensions



Part	QFind	Diameter (D)	Working Length (WL)	Length (L)	Vacuum Diameter (A)
			(mm)	(mm)	(mm)
PXDMSP2V060230	PXDM128	6	100	230	35
PXDMSP2V080230	PXDM129	8	100	230	35

Disclaimer: while every reasonable effort has been made to ensure that this document is correct at the time of printing, Hobson Engineering®, its agencies and employees, disclaim any and all liability to any person in respect to anything, or the consequences of anything done or omitted regarding the whole or any part of this document.

Bolt Tension | Anti-Vibration | Product Reliability | Traceability

[hobson.com.au](http://hobson.com.au) **QUALITY FASTENERS SINCE 1935**